10/100Mbps 8 Port Switch Netgear FS608 V3

Autor:
Data de publicació: 19-05-2016

Hang on - your network will soar when it is hooked up to NETGEAR's FS608! This powerful plug-and-play switch connects at 10 or 100 Mbps and makes it easy to link as many as eight computers or peripherals to your Ethernet network. You'll experience maximum performance for 10 or 100 Mbps devices with eight ports that automatically sense the correct speed while Auto Uplink on the ports adjusts for the different types of Ethernet cables. The FS608's sleek case has lights on the front for easy monitoring. Installation into your home network couldn't be simpler and, once powered on, it begins cool and silent operation - without an internal fan.

Description:

Product Information

Hang on - your network will soar when it is hooked up to NETGEAR's FS608! This powerful plug-and-play switch connects at 10 or 100 Mbps and makes it easy to link as many as eight computers or peripherals to your Ethernet network. You'll experience maximum performance for 10 or 100 Mbps devices with eight ports that automatically sense the correct speed while Auto Uplink on the ports adjusts for the different types of Ethernet cables. The FS608's sleek case has lights on the front for easy monitoring. Installation into your home network couldn't be simpler and, once powered on, it begins cool and silent operation - without an internal fan.

Product Identifiers

Brand
NetGear

Model
FS608

MPN
FS608v3

UPC
606449064193

Key Features

Form Factor
External

Ports Qty
8

Data Transfer Rate
100 Mbps

Data Link Protocol
Ethernet

Compatibility
Mac, PC, Unix

Features

Other Features
Flow control, full duplex capability, auto-sensing per device, auto-negotiation, auto-uplink (auto MDI/MDI-X), store and forward

Status Indicators
Link activity, port transmission speed, power

Networking

Networking Type
Switch

Connectivity Technology
Wired

Switching Protocol
Ethernet

Remote Management Protocol
None

MAC Address Table Size
1K entries

Connectors

Interfaces
8 x network - Ethernet 10Base-T/100Base-TX - RJ-45, 8 x network - Ethernet 10Base-T/100Base-TX - RJ-45 female - 8, 8 x network node - Ethernet 10Base-T/100Base-TX - RJ-45 female - 8

Power

Power Consumption Operational
7.5 Watt

Power Supply
Power adapter - external

DC 7.5V 0.8A

System Requirements

OS Required
Apple MacOS, Linux, Microsoft Windows

Memory

RAM Memory
128 KB

Dimensions

Width
6.73 in.

Height
1.14 in.

Depth
4.45 in.

Weight
617.29 lbs

Miscellaneous

Enclosure Type
External

Humidity Range Operating (Range)
10 - 90%

Max Operating Temperature
122 ?F

Min Operating Temperature
32 ?F